

LEADING THE WORLD IN PERFORMANCE-BASED VALIDATION

Certificate of *Performance Tested^s* Status

Certificate No. 960701

The AOAC Research Institute hereby certifies that the performance of the test kit designated as:

Oxoid Listeria Rapid Test

manufactured by

Oxoid Limited Wade Road Basingstoke Hants. RG24 8PW United Kingdom

has been reviewed under the AOAC Research Institute's *Performance Tested MethodsSM* Program, and found to perform as stated by the manufacturer contingent to the comments contained in the Certification Report. This certificate authorizes the manufacturer to display the AOAC *Performance TestedSM* certification mark along with the statement - "THIS TEST KIT'S PERFORMANCE WAS REVIEWED BY AOAC RESEARCH INSTITUTE AND WAS FOUND TO PERFORM TO THE MANUFACTURER'S SPECIFICATIONS" - on the above mentioned test kit for a period of one year from the date of this certificate (January 1, 2009 – December 31, 2009). Renewal may be granted at the end of one year under the rules stated in the licensing agreement.

Signed for AOAC Research Institute:

Scott G. Coates Managing Director

≪ CONTACT US ≪

 ⁽¹⁾ 481 N. FREDERICK AVE, SUITE 500, GAITHERSBURG, MD 20877-2417
 ⁽²⁾ +1 (301) 924-7077
 ⁽³⁾ +1 (301) 924-7089
 ⁽³⁾ HTTP://WWW.AOAC.ORG/TESTKITS/TESTKITS.HTML